

Bibliography

Adelson, E. H. (1993). Perceptual organization and the judgment of brightness. Science, 262, 2042-2044.

Adelson, E. H., & Bergen, J. R. (1991). The Plenoptic Function and the Elements of Early Vision. In M. M. Landy, A. (Ed.), Computational Models of Visual Processing (pp. 3-20). Cambridge, Massachusetts: M.I.T. Press.

Amit, Y., & Geman, D. (1997a). Shape quantization and recognition with random trees. Neural Computation, 9(7), 1545-1588.

Amit, Y., Geman, D., & Jedynak, B. (1997b). Efficient focusing and face detection (459). Department of Statistics, University of Chicago.

Atick, J. J., & Redlich, A. N. (1992). What does the retina know about natural scenes? Neural Computation, 4(2), 196-210.

Ballard, D. H., & Brown, C. M. (1982). Computer Vision. Englewood Cliffs, NJ: Prentice-Hall.

Barlow, H. B. (1959). Sensory mechanisms, the reduction of redundancy, and intelligence. Proceedings of the symposium on the mechanization of thought processes. National Physical Laboratory. HMSO, London,

Barlow, H. B. (1962). A method of determining the overall quantum efficiency of visual discriminations. J. Physiol. (Lond.), 160, 155-168.

Becker, S., & Hinton, G. E. (1992). Self-organizing neural network that discovers surfaces in random-dot stereograms. Nature, 355(161-163),

Belhumeur, P., Hespanha, J. P., & Kriegman, D. J. (1997). Eigenfaces vs. fisherfaces: recognition using class specific linear projection. IEEE Transactions on Pattern Analysis and Machine Intelligence, 19(July '97), 711-720.

Belhumeur, P., & Kriegman, D. (1996). What is the set of images of an object under all possible lighting conditions? IEEE Conf. on Computer Vision and Pattern Recognition. San Francisco, CA. 270-277.

Belhumeur, P. N., & Mumford, D. (1992). A Bayesian Treatment of the Stereo Correspondence Problem Using Half-Occluded Regions. IEEE Computer Society Conference on Computer Vision and Pattern Recognition. Champaign, Illinois. The Institute of Electrical and Electronics Engineers, Inc., 506-512.

Bell, A. J., & Sejnowski, T. J. (1997). The "independent components" of natural scenes are edge filters. Vision Res, 37(23), 3327-38.

Berger, J. (1985). Statistical Decision Theory and Bayesian Analysis. Springer.

Biederman, I. (1987). Recognition-by-components: A theory of human image understanding. Psychological Review, 94, 115-147.

- Bishop, C. M. (1995). Neural Networks for Pattern Recognition . Oxford: Oxford Univeristy Press.
- Blake, A., Bulthoff, H., & Sheinberg, D. (1992a). Shape from Texture: Ideal Observers and Human Psychophysics. In D. C. Knill, & W. Richards (Ed.), Perception as Bayesian Inference (pp. 287-321). Cambridge: Cambridge University Press.
- Blake, A., & Yuille, A. (1992b). Active Vision . Cambridge, MA: MIT Press.
- Bobick, A. F. (1987). Natural object categorization. MIT Artificial Intelligence Technical Report, 1001,
- Brainard, D. H., & Freeman, W. T. (1994). Bayesian Method for Recovering Surface and Illuminant Properties from Photosensor Responses. Human Vision, Visual Processing, and Digital Display V. Bellingham, Washington. The Society of Photo-Optical Instrumentation Engineers, 2179, 364-376.
- Bruce, V., Green, P. R., & Georgeson, M. A. (1996). Visual perception : physiology, psychology, and ecology (3rd ed.). Hove, East Sussex, UK: Psychology Press.
- Brunswik, E. (1952). The conceptual framework of psychology . Chicago,: University of Chicago Press.
- Buchsbaum, G., & Gottschalk, A. (1983). Trichromacy, Opponent Colour Coding and Optimum Information Transmission in the Retina. Proc. Roy. Soc. Lond. B, 220, 89-113.
- Buelthoff, H. H. (1991). Shape from X: Psychophysics and Computation. In M. M. Landy, A. (Ed.), Computational Models of Visual Processing (pp. 306-330). Cambridge, Massachusetts: M.I.T. Press.
- Bulthoff, H. (1991). Shape from X: Psychophysics and Computation. In M. S. Landy, & J. A. Movshon (Ed.), Computational Models of Visual Processing (pp. 305-330). M.I.T. Press.
- Bülthoff, H. H., Edelman, S. Y., & Tarr, M. J. (1995). How are three-dimensional objects represented in the brain? Cerebral Cortex, 5(3), 247-260.
- Bülthoff, H. H., & Mallot, H. A. (1988). Integration of depth modules: stereo and shading. Journal of the Optical Society of America, A, 5(10), 1749-1758.
- Bülthoff, H. H., & Yuille, A. (1991). Bayesian models for seeing surfaces and depth. Comments on Theoretical Biology, 2(4), 283-314.
- Burgess, A. E., Wagner, R. F., Jennings, R. J., & Barlow, H. B. (1981). Efficiency of human visual signal discrimination. Science, 214, 93-94.
- Burgess, A. E. (1985). Visual signal detection. III. On Bayesian use of prior knowledge and cross correlation. J. Opt. Soc. Am. A, 2(9), 1498-1507.

Cavanagh, P. (1991). What's up in top-down processing? In A. Gorea (Ed.), Representations of Vision: Trends and tacit assumptions in vision research (pp. 295-304). Cambridge, UK: Cambridge University Press.

Clark, J. J., & Yuille, A. L. (1990). Data Fusion for Sensory Information Processing. Boston: Kluwer Academic Publishers.

Craik, K. J. W. (1943). The Nature of Explanation. Cambridge: Cambridge University Press.

d'Avossa, G., & Kersten, D. (1993). Direction of heading from optic flow: Comparing human and ideal performance. Association for Research in Vision and Ophthalmology. Sarasota, Florida. Investigative Ophthalmology and Visual Science, 34, 1034.

Darrell, T., & Pentland, A. P. (1991). Robust estimation of a multi-layer motion representation. Proceedings IEEE Workshop on Visual Motion. 173-177.

Darrell, T., Sclaroff, S., & Pentland, A. (1990). Segmentation by minimal description. Proc. 3rd International Conference on Computer Vision. M.I.T. Media Lab Vision and Modeling Group, 112-116.

Darrell, T., & Simoncelli, E. (1994). Separation of Transparent Motion into Layers using Velocity-Tuned Mechanisms. European Conf on Computer Vision.

Dayan, P., Hinton, G. E., Neal, R. M., & Zemel, R. S. (1995). The Helmholtz Machine. Neural Computation, 7(5), 889-904.

Duda, R. O., & Hart, P. E. (1973). Pattern classification and scene analysis. New York.: John Wiley & Sons.

Field, D. J. (1987). Relations between the statistics of natural images and the response properties of cortical cells. Journal of the Optical Society of America A, 4(12), 2379-2394.

Field, D. J. (1994). What is the goal of sensory coding? Nueral Computation, 6, 559-601.

Freeman, W. T. (1994). The generic viewpoint assumption in a framework for visual perception. Nature, 368(7 April 1994), 542-545.

Geisler, W. (1989). Sequential Ideal-Observer analysis of visual discriminations. Psychological Review, 96(2), 267-314.

- Geman, D., & Jedynak, B. (1993). Shape recognition and Twenty Questions (2155). INRIA, Robotique, image et vision.
- Geman, S., & Geman, D. (1984). Stochastic relaxation, Gibbs distributions, and the Bayesian restoration of images. I.E.E.E. Transactions Pattern Analysis and Machine Intelligence, PAMI-6, 721-741.
- Gibson, J. J. (1979). The Ecological Approach to Visual Perception. Boston, MA: Houghton Mifflin.
- Gigerenzer, & Murray. (1987). Cognition as Intuitive Statistics. Erlbaum.
- Goldstein, E. B. (1995). Sensation and Perception (4th ed.). Belmont, California: Wadsworth Publishing Company.
- Green, D. M., & Swets, J. A. (1974). Signal Detection Theory and Psychophysics. Huntington, New York: Robert E. Krieger Publishing Company.
- Gregory, R. L. (1980). Perceptions as hypotheses. Philosophical Transactions of the Royal Society, B 290, 181-197.
- Grenander, U. (1993). General Pattern Theory. Oxford: Oxford University Press.
- Grenander, U. (1996). Elements of pattern theory. Baltimore: Johns Hopkins University Press.
- Grossberg, S., Mingolla, E., & Ross, W. D. (1997). Visual brain and visual perception: how does the cortex do perceptual grouping? Trends Neurosci, 20(3), 106-111.
- Hallinan, P. W. (1994). A low-dimensional lighting representation of human faces for arbitrary lighting conditions. IEEE Conf. on Computer Vision and Pattern Recognition. Seattle. 995-999.
- Heeger, D. J., & Jepson, A. (1990). Visual perception of three-dimensional motion. Neural Computation, 2(2), 129-137.
- Heeger, D. J., Simoncelli, E. P., & Movshon, J. A. (1996). Computational Models of Cortical Visual Processing. Proc. National Academy of Science. 93, 623-627.
- Helmholtz, H. v., & Southall, J. P. C. (1924). Helmholtz's treatise on physiological optics. [Rochester, N.Y.]: The Optical Society of America.
- Hinton, G. E., & Ghahramani, Z. (1997). Generative models for discovering sparse distributed representations. The Philosophical Transactions of the Royal Society, 352(1358), 1177-1190.
- Horn, B. K. P. (1986). Robot Vision. Cambridge MA: MIT Press.
- Jacobs, R. A., Jordan, M. I., Nowlan, S. J., & Hinton, G. E. (1991). Adaptive mixtures of local experts. Neural Computation, 3, 79-87.
- Jepson, A., & Black, M. J. (1993). Mixture models for optical flow computation. Proc. IEEE Conf. Comput. Vision Pattern Recog. New York. 760-761.

Jones, M. J., Sinha, P., Vetter, T., & Poggio, T. (1997). Top-down learning of low-level vision tasks. Curr Biol, 7(12), 991-4.

Jordan, M. I., & Bishop, C. M. (1996). Neural Networks (A.I. Memo No. 1562, C.B.C.L. Memo No. 131). M.I.T.

Jordan, M. J., & Jacobs, R. A. (1994). Hierarchical Mixtures of Experts and the EM Algorithm. Neural Computation, 6(2), 181-214.

Julesz, B. (1984). A Brief Outline of the Texton Theory of Human vision. Trends in Neurosciences, 7(2), 41-45.

Kersten, D. (1990). Statistical limits to image understanding. In C. Blakemore (Ed.), Vision: Coding and Efficiency (pp. 32-44). Cambridge, UK: Cambridge University Press.

Kersten, D. (1997a). Inverse 3D Graphics: A Metaphor for Visual Perception. Behavior Research Methods, Instruments, & Computers, 29(1), 37-46.

Kersten, D. (1997b). Perceptual categories for spatial layout. Philosophical Transactions of the Royal Society B, 352(1358), 1155-1163.

Kersten, D., Knill, D. C., Mamassian, P., & Bühlhoff, I. (1996). Illusory motion from shadows. Nature, 379, 31.

Kersten, D., & Madarasmi, S. (1995). The Visual Perception of Surfaces, their Properties, and Relationships. DIMACS Series in Discrete Mathematics and Theoretical Computer Science, 19, 373-389.

Kersten, D., Mamassian, P., & Knill, D. C. (1997). Moving cast shadows induce apparent motion in depth. Perception, 26(2), 171-192.

Kersten, D. J. (1987). Predictability and Redundancy of Natural Images. Journal of the Optical Society of America, 4, 2395-2400.

Knill, D. C. (1998a). Discriminating planar surface slant from texture: Human and ideal observers compared. Vision Research, 38, 1683-1711.

Knill, D. C. (1998b). Surface orientation from texture: Ideal observers, generic observers and the information content of texture cues. Vision Research, 38, 1655-1682.

Knill, D. C., Field, D., & Kersten, D. (1990). Human discrimination of fractal images. 7, 1113-1123.

Knill, D. C., & Kersten, D. (1991a). Apparent surface curvature affects lightness perception. Nature, 351, 228-230.

Knill, D. C., & Kersten, D. K. (1991b). Ideal Perceptual Observers for Computation, Psychophysics, and Neural Networks. In R. J. Watt (Ed.), Pattern Recognition by Man and Machine (pp. 83-97). MacMillan Press.

Knill, D. C., & Richards, W. (1996). Perception as Bayesian Inference. Cambridge: Cambridge University Press.

Landy, M. S., Maloney, L. T., Johnston, E. B., & Young, M. J. (1995). Measurement and modeling of depth cue combination: In defense of weak fusion. Vision Research, 35, 389-412.

Langer, M. S., & Zucker, S. W. (1994). Shape from Shading on a Cloudy Day. Journal of the Optical Society of America A, 11(2), 467-478.

Laughlin, S. B. (1981). A simple coding procedure enhances a neuron's information capacity. Z. Naturforsch., ,

Legge, G. E., Klitz, T. S., & Tjan, B. S. (1997). Mr. Chips: an ideal-observer model of reading. Psych. Review, 104(3), 524-53.

Li, Z., & Atick, J. J. (1994). Efficient Stereo Coding in the Multiscale Representation. Network: Computation in Neural Systems, 5, 1-18.

Liu, Z., & Kersten, D. (1998). 2D observers for 3D object recognition? In Advances in Neural Information Processing Systems Cambridge, Massachusetts: MIT Press.

Liu, Z., Knill, D. C., & Kersten, D. (1995). Object Classification for Human and Ideal Observers. Vision Research, 35(4), 549-568.

MacKay, D. J. C. (1992). Bayesian interpolation. Neural Computation, 4(3), 415-447.

Malik, J., & Perona, P. (1990). Preattentive texture discrimination with early vision mechanisms. Journal of the Optical Society of America A, 7(5), 923-932.

Maloney, L. T., & Landy, M. S. (1989). A statistical framework for robust fusion of depth information. SPIE Visual Communications and Image Processing. 1199, 1154-1163.

Mamassian, P., & Landy, M. S. (1998). Observer biases in the 3D interpretation of line drawings. Vision Research, 38, 2817-2832.

Marr, D. (1982). Vision: A Computational Investigation into the Human Representation and Processing of Visual Information. San Francisco, CA: W.H. Freeman and Company.

Mumford, D. (1995). Pattern theory: A unifying perspective. In D. C. Knill, & R. W. (Ed.), Perception as Bayesian Inference (pp. Chapter 2). Cambridge: Cambridge University Press.

Nakayama, K., & Shimojo, S. (1992). Experiencing and perceiving visual surfaces. Science, 257, 1357-1363.

Olshausen, B. A., & Field, D. J. (1996). Emergence of simple-cell receptive field properties by learning a sparse code for natural images. Nature, 381, 607-609.]]

Osuna, E., Freund, R., & Girosi, F. (1997). Training support vector machines: an Application to Face Detection. CVPR. Puerto Rico.

Poggio, T., & Edelman, S. (1990). A network that learns to recognize three-dimensional objects. Nature, 343, 263-266.

Poggio, T., Torre, V., & Koch, C. (1985). Computational vision and regularization theory. Nature, 317, 314-319.

- Potters, M., & Bialek, W. (1994). Statistical mechanics and visual signal processing. Journal de Physique I, (November), 1755-1775.
- Ripley, B. D. (1996). Pattern Recognition and Neural Networks . Cambridge, UK: Cambridge University Press.
- Rissanen, J. (1989). Stochastic Complexity in Statistical Inquiry . Singapore: World Scientific Publishing Company.
- Rock, I. (1983). The Logic of Perception . Cambridge, Massachusetts: M.I.T. Press.
- Ruderman, D., & Bialek, W. (1994). Statistics of Natural Images: Scaling in the Woods. Physical Review Letters, 73, Number 6(8 August 1994), 814-817.
- Schölkopf, B. (1997). Support Vector Learning . Munich: R. Oldenbourg Verlag.
- Simoncelli, E. P., & Heeger, D. J. (1998). A model of neuronal responses in visual area MT. Vision Res, 38(5), 743-61.
- Sinha, P., & Adelson, E. (1993). Recovering reflectance and illumination in a world of painted polyhedra. Proceedings of Fourth International Conference on Computer Vision. Berlin. 156-163.
- Spillman, L., & Werner, J. S. (1990). Visual Perception: The Neurophysiological Foundations . San Diego, California: Academic Press.
- Srinivasan, M. V., Laughlin, S. B., & Dubs, A. (1982). Predictive coding: A fresh view of inhibition in the retina. Proc. Roy. Soc. Lond. B, 216, 427-459.
- Szeliski, R. (1989). Bayesian Modeling of Uncertainty in Low-level Vision . Kluwer Academic Publishers.
- Tarr, M. J., Kersten, D., & Bülthoff, H. H. (1997). Why the visual system might encode the effects of illumination. Vision Research, ,
- Thorpe, S., Fize, D., & Marlot, C. (1996). Speed of processing in the human visual system. Nature, 381, 520-522.
- Tjan, B., Braje, W., Legge, G. E., & Kersten, D. (1995). Human efficiency for recognizing 3-D objects in luminance noise. Vision Research, 35(21), 3053-3069.
- Tjan, B. S., & Legge, G. E. (1997). The Viewpoint Complexity of an Object-Recognition Task . Max-Planck-Institut für biologische Kybernetik.
- Ullman, S. (1991). Sequence-seeking and counter streams: a model for information processing in the cerebral cortex. In C. Koch (Ed.), Large scale neuronal theories of the brain MIT Press.
- Ullman, S. (1996). High-level Vision: Object Recognition and Visual Cognition . Cambridge, Massachusetts: MIT Press.
- Ullman, S., & Basri, R. (1991). Recognition by linear combinations of models. IEEE Transactions on Pattern Analysis and Machine Intelligence, 13(10), 992-1006.

- Wandell, B. A. (1995). Foundations of Vision . Sunderland, Massachusetts: Sinauer.
- Wang, J. Y. A., & Adelson, E. H. (1994). Representing moving images with layers. IEEE Transactions on Image Processing Special Issue: Image Sequence Compression, 3(5), 625-638.
- Weiss, Y. (1997). Smoothness in Layers: Motion segmentation using nonparametric mixture estimation. Proceedings of IEEE conference on Computer Vision and Pattern Recognition. 520-527.
- Weiss, Y., & Adelson, E. H. (1998). Slow and smooth: a Bayesian theory for the combination of local motion signals in human vision (A.I. Memo No. 1624). M.I.T.
- Wolpert, D. M., Ghahramani, Z., & Jordan, M. I. (1995). An Internal Model for Sensorimotor Integration. Science, 269(29 September), 1880-1882.
- Young, M. J., Landy, M. S., & Maloney, L. T. (1993). A Perturbation Analysis of Depth Perception from Combinations of Texture and Motion Cues. Vision Research, 33(No. 18), 2685-2696.
- Yuille, A., & Grzywacz, N. (1988). A computational theory for the perception of coherent visual motion. Nature, 333, 71-74.
- Yuille, A., Stolorz, P., & Ultans, J. (1994). Statistical physics, mixtures of distributions and the EM algorithm. Neural Computation, 6, 334-340.
- Yuille, A. L., & Bülthoff, H. H. (1996). Bayesian decision theory and psychophysics. In K. D.C., & R. W. (Ed.), Perception as Bayesian Inference Cambridge, U.K.: Cambridge University Press.
- Yuille, A. L., Geiger, D., & Bülthoff, H. H. (1991). Stereo integration, mean field theory and psychophysics. Network, 2, 423-442.
- Zhu, S. C., Wu, Y., & Mumford, D. (1997). Minimax Entropy Principle and Its Applications to Texture Modeling. Neural Computation, 9(8),
- Zhu, S. C., & Yuille, A. L. (1996). A Flexible Object Recognition and Modelling System. International Journal of Computer Vision, 20(3), 187-212.
- Zucker, S. W., & David, C. (1988). The organization of curve detection: Coarse tangent fields and fine spline coverings. Proceedings 2nd International Conference on Computer Vision. Tarpon Springs, Florida.